



# *TECHNICAL DATA SHEET*

## *ICB 2018*



	ICB KIM	ICB ELOISE	ICB CLINIC	
MATTRESS DIMENSIONS (CM)	<ul style="list-style-type: none"> <li>➤ 190 x 90 <b>ST</b></li> <li>➤ 190 x 105</li> <li>➤ 200 x 90</li> <li>➤ 200 x 105</li> </ul>	<ul style="list-style-type: none"> <li>➤ 190 x 90 <b>ST</b></li> <li>➤ 190 x 105</li> <li>➤ 200 x 90</li> <li>➤ 200 x 105</li> </ul>	<ul style="list-style-type: none"> <li>➤ 190 x 90</li> <li>➤ 190 x 105</li> <li>➤ 200 x 90 <b>ST</b></li> <li>➤ 200 x 105</li> </ul>	
MATTRESS DIMENSIONS (INCH)	<ul style="list-style-type: none"> <li>➤ 75 x 35 <b>ST</b></li> <li>➤ 75 x 41</li> <li>➤ 79 x 35</li> <li>➤ 79 x 41</li> </ul>	<ul style="list-style-type: none"> <li>➤ 75 x 35 <b>ST</b></li> <li>➤ 75 x 41</li> <li>➤ 79 x 35</li> <li>➤ 79 x 105</li> </ul>	<ul style="list-style-type: none"> <li>➤ 75 x 35</li> <li>➤ 75 x 41</li> <li>➤ 79 x 35 <b>ST</b></li> <li>➤ 79 x 41</li> </ul>	
EXTERNAL DIMENSIONS WITH BED SIDE RAILS AND HEADBOARD (CM)	<ul style="list-style-type: none"> <li>➤ 200 x 102 <b>ST</b></li> <li>➤ 200 x 118</li> <li>➤ 210 x 102</li> <li>➤ 210 x 118</li> </ul>	<ul style="list-style-type: none"> <li>➤ 200 x 102 <b>ST</b></li> <li>➤ 200 x 118</li> <li>➤ 210 x 102</li> <li>➤ 210 x 118</li> </ul>	<ul style="list-style-type: none"> <li>➤ 200 x 102</li> <li>➤ 200 x 118</li> <li>➤ 210 x 102 <b>ST</b></li> <li>➤ 210 x 118</li> </ul>	
EXTERNAL DIMENSIONS WITH BED SIDE RAILS AND HEADBOARD (INCH)	<ul style="list-style-type: none"> <li>➤ 79 x 40 <b>ST</b></li> <li>➤ 79 x 46.5</li> <li>➤ 83 x 40</li> <li>➤ 83 x 46.5</li> </ul>	<ul style="list-style-type: none"> <li>➤ 79 x 40 <b>ST</b></li> <li>➤ 79 x 46.5</li> <li>➤ 83 x 40</li> <li>➤ 83 x 46.5</li> </ul>	<ul style="list-style-type: none"> <li>➤ 79 x 40</li> <li>➤ 79 x 46.5</li> <li>➤ 83 x 40 <b>ST</b></li> <li>➤ 83 x 46.5</li> </ul>	
BED WEIGHT	<b>BETWEEN 120 KG AND 160 KG DEPENDING OF THE TYPE</b> <b>BETWEEN 264 lb AND 352 lb DEPENDIG OF THE TYPE</b>			
ELEVATION, MIN/MAX  (WITHAOUT MATTRESS)	<i>COLUMN SIZE</i>	<b>ICB KIM</b>	<b>ICB ELOISE</b>	<b>ICB CLINIC</b>
	<b>SHORT <b>ST</b></b>	455mm/18inch	455mm/18inch	470mm/18,5inch
		710mm/28inch	710mm/28inch	725mm/28,5inch
	<b>MEDIUM</b>	500mm/19,7inch	500mm/19,7inch	515mm/20inch
		824mm//32,4inch	824mm//32,4inch	839mm/33inch
<b>HIGH</b>	540mm/21inch	540mm/21inch	553mm/22inch	
	940mm/37inch	940mm/37inch	953mm/37,5inch	

CLEARANCE TO CRANES ACCES	➤ 150 MM / 6 INCH	
LEFT TILT	MAX 14 °	
RIGHT TILT	MAX 14 °	
TRENDELEMBURG	15 °	
ANTITRENDELEMBURG	15 °	
BACK SUPPORT RECLINING ANGLE	70° ±5°	
LEGS SUPPORT RECLINING ANGLE	45°±2°	
MAXIMUM DESIGN LOAD	250 KG / 551 lb	
ELECTRIC INSULATION LEVEL	TYPE - IP66	
PROTECTION LEVEL	TYPE - I	
POWER SUPPLY	100-240 V AC (50/60 Hz) 8A	
BATTERY SAFETY	24V 1,3 Ah	
WHEELS	CENTRALIZED BRAKE 4 WHEELS / DIRECTIONAL LOCKING / ANTISTATIC WHEEL	
	<p><b>ICB KIM-ICB ELOISE</b></p> <p>D125</p>	<p><b>ICB CLINIC</b></p> <p>D150 DOUBLE WHEEL</p> <p>1 ANTISTATIC</p>